

PROFESSIONAL ROOF PROTECTION

Silicone-based roof membrane for refurbishment, sealing and long-term protection of existing roofs.

Why replace the roof when the existing surface can be refurbished and protected with a continuous membrane?

Luna Roof is a professional silicone-based coating with no water, solvents or asphalt. Once cured it forms an elastic, rubber-like membrane with strong adhesion on suitable substrates.

25+ years Expected service life*	≥ 250% Elongation at break	≥ 90% Solids by weight	≤ 60 g/L VOC
--	--------------------------------------	----------------------------------	------------------------



The same roof, before and after treatment with Luna Roof.

CE MARKED

LOW VOC

ENVIRONMENTALLY FRIENDLY PRODUCT

*The TDS states "service time 25 years+". Product warranty and specific warranty conditions follow Luna Roof's terms and conditions in force.

Different roofs. The same system.

Two clear solutions: black membrane for fibre cement and corrugated sheets, white membrane for roofing felt and flat roofs.



BLACK MEMBRANE

Fibre cement / corrugated sheets

Elastic, seamless surface that follows the profile of the roof and protects joints and details.



WHITE MEMBRANE

Roofing felt / flat roof

Waterproof roof protection with high solar reflectance as described in the product TDS.


ONE SYSTEM FOR SEVERAL ROOF TYPES

According to the TDS, Luna Roof can be used on substrates including concrete, metal and existing coating systems. The substrate must be sound, clean and correctly prepared. On special membranes and plastic-based substrates, adhesion must be tested first.

BLACK / WHITE

Fibre cement roof, before and after

Continuous treatment of the roof surface and the details around penetrations.



SEALED JOINTS

The membrane forms an unbroken, elastic surface across the roof. Joints and local details can be treated as part of the complete system when the substrate is correctly prepared.

TDS: maximum crack repair 5 mm; up to 2.5 mm thickness after drying.

White membrane, a clear transformation

White Luna Roof combines waterproofing with high solar reflectance as stated in the product TDS.




WHITE LUNA ROOF

The TDS describes the white version as high gloss with high solar reflectance and suitable for heat reflection and cooling. The exact energy saving depends on the building, the insulation, the climate and the roof construction.

Black membrane on roofing felt

From an older roof surface to an even, seamless finish.



ONE CONTINUOUS COAT

On flat roofs the TDS specifies a wet film thickness of 1-2 mm and recommends a single coat when the required thickness is reached in one application. After curing, check that the film is even and free of local thin areas.

Developed for professional roof protection

Silicone-based membrane focused on straightforward application, a continuous surface and documented technical properties.



APPLIED BY ROLLER / BRUSH

LUNA ROOF SYSTEM: A PROFESSIONAL PRODUCT, BUILT FOR THE ROOF

The membrane is applied directly to a correctly prepared substrate and, once cured, forms an elastic, continuous surface.

20 kg



approx. 13.3 m²



approx. 1.5 kg/m²

Key figures for professionals

Selected values taken directly from the product's technical data sheet.

CHEMISTRY	Silicone-based coating	COLOURS	Black / white
DENSITY	1.23 ± 0.05 g/ml	COAT THICKNESS	Min. 1 mm per coat
TOUCH DRY	20-50 min.	TENSILE STRENGTH	≥ 1.8 MPa
ELONGATION AT BREAK	≥ 250% at 2 mm	SOLIDS	≥ 90% weight / volume
VOC	≤ 60 g/L	TEMPERATURE	-60 to +120 °C
APPLICATION	Roller / brush	STORAGE	10-25 °C recommended

CONSUMPTION & COVERAGE

1.5 kg/m ² RECOMMENDED CONSUMPTION	20 kg = approx. 13.3 m ² PER 20 KG	1 kg = approx. 0.67 m ² PER KILO
--	--	--

Calculated at the recommended consumption. Actual consumption can vary depending on the substrate and the surface.

Note: The TDS states suitable construction temperatures of 5-30 °C and advises against working in rain. The roof surface must not be frozen or covered in frost. Always read the current TDS/MSDS before use.



PROFESSIONAL ADVICE & B2B

Get a tailored B2B quote

Whether you are a smaller company, a contractor covering many thousands of m² a year, or want to become a reseller, we will find a solution that fits your needs. Project prices, volume discounts, reseller agreements and advice for professionals.

ADDRESS

**Værkstedsgården 8
2620 Albertslund, Denmark**

WAREHOUSE

Taastrup / Brøndby
Local stock

PHONE

+45 70 90 70 85
Call us directly

EMAIL

kontakt@luna-roof.dk

Write to our team

WEBSITE

www.luna-roof.dk

Products, data sheet and ordering →



PROFESSIONAL ROOF MEMBRANE